

Ford VIN Decoder



2000 Ford Super Duty F-350 DRW Reg Cab 141" WB XL 4WD

VIN:

Print

Like 8 Share Post

Summary	Style & Trim	Equipment	Colors	Tech Specs
---------	--------------	-----------	--------	------------

Narrow Down By Style
 Reg Cab 141" WB XL 4WD

Tech Specs

Vehicle Name

Ford Super Duty F-350 DRW

Body Style

Reg Cab

Body Code

141" WB

Drivetrain

4-Wheel Drive

Passenger Capacity

2, 3 2.0 min 3.0 max

Gross Axle Wt Rating -

Front

5200, 4000 lbs 4000.0 min 5200.0 max

Gross Axle Wt Rating - Rear

9750 lbs 9750.0 min 9750.0 max

Curb Weight - Front

3298, 3023 lbs 3023.0 min 3536.0 max

Curb Weight - Rear

2248, 2200 lbs 2200.0 min 2268.0 max

Gross Vehicle Weight

Rating Cap

11,000, 11,200 lbs

Gross Combined Wt Rating

17,000, 20,000, 16,500 lbs

Dead Weight Hitch - Max

Trailer Wt.

5000 lbs 5000.0 min 5000.0 max

Dead Weight Hitch - Max

Tongue Wt.

500 lbs 500.0 min 500.0 max

Wt Distributing Hitch - Max

Trailer Wt.

10,000 lbs

Wt Distributing Hitch - Max Tongue Wt.

1000 lbs 1000.0 min 1000.0 max

Fifth Wheel Hitch - Max Trailer Wt.

13,400 lbs

Engine Order Code

99S

Engine Type

Gas V10

Displacement

6.8L/415

Fuel System

SEFI

SAE Net Horsepower @ RPM

310 @ 4250

SAE Net Torque @ RPM

425 @ 3250

Trans Order Code

449, 446, 44E, 44W 446.0 min 449.0 max

Trans Type

6, 4, 5 4.0 min 6.0 max

Trans Description Cont.

Manual w/OD, Automatic w/OD,, Manual w/OD

Trans Description Cont. Again

Electronic

First Gear Ratio (:1)

5.79, 2.71, 5.72 2.71 min 5.79 max

Second Gear Ratio (:1)

3.31, 1.54, 2.94 1.54 min 3.31 max

Third Gear Ratio (:1)

2.10, 1.00, 1.61 1.0 min 2.1 max

Fourth Gear Ratio (:1)

1.31, 0.71, 1.00 0.71 min 1.31 max

Fifth Gear Ratio (:1)

1.00, , 0.76 0.76 min 1.0 max

Sixth Gear Ratio (:1)

0.72 0.72 min 0.72 max

Reverse Ratio (:1)

5.23, 2.18, 5.24 2.18 min 5.24 max

Clutch Size

11.9 in 11.9 min 13.0 max

Trans Power Take Off

SAE 6-Bolt

Trans PTO Access

LH, , LH/RH

Transfer Case Model

New Venture 273, New Venture 271

Transfer Case Gear Ratio (:1), High

1.00 1.0 min 1.0 max

Transfer Case Gear Ratio (:1), Low

2.72 2.72 min 2.72 max

Cold Cranking Amps @ 0° F (Primary)

750 750.0 min 750.0 max

Maximum Alternator Capacity (amps)

DUAL 130, 130, DUAL 95, 95 95.0 min 130.0 max

Maximum Alternator Watts

3900, 1950, 1425 1425.0 min 3900.0 max

Total Cooling System

Capacity

28.5 qts 26.4 min 30.6 max

Frame Type

Ladder

Suspension Type - Front

Multi-Leaf

Suspension Type - Rear

Multi-Leaf

Spring Capacity - Front

5200, 4000 lbs 4000.0 min 5200.0 max

Spring Capacity - Rear

9750 lbs 9750.0 min 9750.0 max

Axle Type - Front

Monobeam

Axle Type - Rear

Full-Floating

Axle Capacity - Front

5200 lbs 5200.0 min 5200.0 max

Axle Capacity - Rear

9750 lbs 9750.0 min 9750.0 max

Axle Ratio (:1) - Front

4.10, 4.30, 3.73 3.73 min 4.3 max

Axle Ratio (:1) - Rear

4.10, 4.30, 3.73 3.73 min 4.3 max

Shock Absorber Diameter -

Front

1.38 mm 1.38 min 1.38 max

Shock Absorber Diameter -

Rear

1.38 mm 1.38 min 1.38 max

Front Tire Order Code

T3N, T36, T3R, T35

Rear Tire Order Code

T3N, T36, T3R, T35

Spare Tire Order Code

512 512.0 min 512.0 max

Front Tire Size

LT235/85R16E

Rear Tire Size

LT235/85R16E

Spare Tire Size

LT235/85R16E

Front Tire Capacity

2778 lbs 2778.0 min 2778.0 max

Rear Tire Capacity

2778 lbs 2778.0 min 2778.0 max

Spare Tire Capacity

2778 lbs 2778.0 min 2778.0 max

Revolutions/Mile @ 45 mph

- Front

657, 655 Rev/Mile 655.0 min 657.0 max

Revolutions/Mile @ 45 mph

- Rear

653, 657, 654, 655 Rev/Mile 653.0 min 657.0 max

Revolutions/Mile @ 45 mph

- Spare

657, 655 Rev/Mile 655.0 min 657.0 max

Front Wheel Size

16 x 6.0 in

Rear Wheel Size

16 x 6.0 in

Spare Wheel Size

16 x 6.0 in

Front Wheel Material

Aluminum, Steel

Rear Wheel Material

Aluminum, Steel

Spare Wheel Material

Steel

Steering Type

Power

Steering Ratio (:1), On Center

20.3 20.3 min 20.3 max

Turning Diameter - Curb to Curb

51.86 ft 51.86 min 59.33 max

Turning Diameter - Wall to Wall

54.45 ft 54.45 min 61.93 max

Brake Type

Power

Brake ABS System

Four Wheel

Disc - Front (Yes or)

Yes

Disc - Rear (Yes or)

Yes

Fuel Tank Capacity, Approx

19.0, 40.0 gal 19.0 min 40.0 max

Aux Fuel Tank Capacity, Approx

28.0 LPG, 21.0 LPG & 28.0 LPG gal

Fuel Tank Location

Midship, Aft-of-Axle

Aux Fuel Tank Location

Aft-Axle, Side & Aft-Axle

Front Head Room

41.3 in 41.3 min 41.3 max

Front Leg Room

40.7 in 40.7 min 40.7 max

Front Shoulder Room

68.0 in 68.0 min 68.0 max

Front Hip Room

67.4 in 67.4 min 67.4 max

Wheelbase

140.8 in 140.8 min 164.8 max

Length, Overall w/o rear bumper

225.7 in 225.7 min 249.7 max

Width, Max w/o mirrors

91.7 in 91.7 min 91.7 max

Height, Overall

80.0 in 80.0 min 80.0 max

Overhang, Front

37.4 in 37.4 min 37.4 max

Overhang, Rear w/o bumper

47.5 in 47.5 min 47.5 max

Front Bumper to Back of Cab

118.2 in 118.2 min 142.2 max

Cab to Axle

60.0 in 60.0 min 84.0 max

Cab to End of Frame

107.5 in 107.5 min 131.5 max

Ground to Top of Frame

24.2 in 24.2 min 24.2 max

Frame Width, Rear

34.1 in 34.1 min 34.1 max

Country of Origin

United States Ford Incomplete Vehicle

[« Colors](#)

FEATURED VIDEOS



Powered by **primis**

2021 FORD MUSTANG GT

2021 FORD MUSTANG

SHELBY MUSTANG MACH-E

All times are GMT -5. The time now is 03:57 PM.